



Fall protection

JAGUAR 2 HAR36R

FALL ARRESTER AND SUSPENSION HARNESSSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker



Specific benefits



Comfort

· 3D comfort foam integrated into harness that provides comfort and breathability for prolonged use



Hygiene

· Detachable comfort foam for easy cleaning
· Can wash harnesses and textiles with neutral soap



Performance

· Certification above maximum rated load 100kg: product certified at 150kg



Visibility

· Anti-fall visual indicator allows for instant verification that product is properly functioning

Applications

- Public Works
- Finishing Works/Craftsmanship
- Chemical Industry
- Automotive
- Oil & Gas (Extraction)
- Mining

Certifications and norms



CE CATEGORY

EN361

150 KG

EN813

150 KG

EN358

Risk Protection



Fall



Fall protection

JAGUAR 2 HAR36R

FALL ARRESTER AND SUSPENSION HARNESSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker

Standards - Details

Technical details

Type of equipment	Fall arrest, support and suspension harnesses
Composition of the main support	Aluminum, Polyester
Fastening	Buckles
Number of attachment points	2
Number of total suspension points	1
Number of total holding attachment points	2
Anti-fall point	Dorsal, Sternal
Holding point	Belt
Color	Grey-Yellow
Comfort elements	"Soft padding" on shoulders and thigh strap
Size	S/M/L, XL/XXL
Benefits element	Comfort, Fall indicator
Lifespan from manufacturing (years)	10
Number of non-removable buckles	5
Weight (kg)	2,7
Number of manual buckles	2
Number of automatic loops	2
Number of fall arrest anchorage points	2
Padding	Back, Belt, Leg, Shoulder
Sternal	1
Dorsal	1
Use	120° rotation
Belt	1
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m),

	Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection
--	---








Fall protection

JAGUAR 2 HAR36R

FALL ARRESTER AND SUSPENSION HARNESSES

Technical harness with a new architecture designed to optimise the ergonomics of rope workers, equipped with a ventral blocker

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
HAR36RPT	Grey-Yellow	SM	JAGUAR 2 HAR36R	3295249270223	13295249270220	5	1	16.1 kg	27.2 cm	81.4 cm	40.6 cm
HAR36RGT	Grey-Yellow	MD/LG	JAGUAR 2 HAR36R	3295249265601	13295249265608	5	1	16.3 kg	25.0 cm	80.0 cm	38.0 cm
HAR36RXX	Grey-Yellow	XL/2X	JAGUAR 2 HAR36R	3295249265694	13295249265691	5	1	16.5 kg	25.0 cm	80.0 cm	38.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height